

**PURPLE**   
EVOLVE YOUR WALLS™



**Gold Bond**<sup>®</sup>  
Building Products

# PURPLE: The Color of Confidence

Whether you're designing a project or installing product in the field, PURPLE products from Gold Bond Building Products, LLC offer single-source solutions that provide the performance, support and resources to get the job done right. Inside or out, wet or dry, our portfolio of PURPLE XP® paper-faced and eXP® coated fiberglass-faced products delivers the confidence and peace of mind you need to stand behind your work. They're mold- and moisture-resistant, UL GREENGUARD certified to help indoor air quality and manufactured in our signature PURPLE color. So be sure to ask for PURPLE, and know you're building with the best.

## eXP® Fiberglass Faced (Paperless)

- 1 eXP® INTERIOR EXTREME®**
  - For use in all rooms
  - Anywhere mold and moisture is a concern
  - 12-month exposure warranty
- 2 eXP® INTERIOR EXTREME® AR**
  - Walls subject to added abuse/abrasion
  - Scratch and scuff resistant
  - 12-month exposure warranty
- 3 eXP® INTERIOR EXTREME® IR**
  - Walls subject to impact from hard objects
  - Resists penetrations through the drywall
  - 12-month exposure warranty
- 4 eXP® SHAFTLINER**
  - For use in shaftwall assemblies and stairwells
  - Resists mold and moisture
  - 12-month exposure warranty
- 5 eXP® TILE BACKER**
  - Gypsum tile backer board for wet areas
  - Acrylic-coated facer
  - Eliminates need for water barrier
- 6 eXP® SHEATHING**
  - Accepts variety of exterior finishes
  - Square-edged product; finishing of joints not required
  - 12-month exposure warranty



## XP® Paper Faced

- 7 XP® GYPSUM BOARD**
  - For use in all rooms
  - Anywhere mold and moisture is a concern
- 8 XP® HI-ABUSE® GYPSUM BOARD**
  - Walls subject to added abuse/abrasion
  - Scratch and scuff resistant
- 9 XP® HI-IMPACT® GYPSUM BOARD**
  - Walls subject to impact from hard objects
  - Resists penetrations through the drywall
- 10 SHAFTLINER XP®**
  - For use in shafts and stairwells
  - Resists mold and moisture
- 11 SOUNDBREAK XP WALL® BOARD**
  - Rooms requiring noise reduction
  - Reduces sound transmission through walls and ceilings
- 12 SOUNDBREAK XP CEILING® BOARD**
  - Helps reduce floor-ceiling noise transfer
  - Features acoustically enhanced, fire-resistant gypsum core
- 13 SOUNDBREAK XP RETROFIT® BOARD**
  - Improve the acoustical performance of an existing wall assembly
  - Noise reduction without demolition

# Technical Information

Visit [goldbondbuilding.com](http://goldbondbuilding.com) or call National Gypsum Company Construction Services: 1-800-NATIONAL (628-4662).

Technical Information Información Técnica

**1-800-NATIONAL®**

1-800-628-4662

National Gypsum Company is the exclusive service provider of the PURPLE family of products manufactured by Gold Bond Building Products, LLC.

## Customer Service Sales Areas and Contact Information

### Atlantic Area

(800) 237-9167

[atlantcareacsrs@nationalgypsum.com](mailto:atlantcareacsrs@nationalgypsum.com)

### Central Area

(800) 252-1065

[centralareacsrs@nationalgypsum.com](mailto:centralareacsrs@nationalgypsum.com)

### Gulf Area

(800) 343-4893

[gulfareacsrs@nationalgypsum.com](mailto:gulfareacsrs@nationalgypsum.com)

### Midwest Area

(800) 323-1447

[midwestareacsrs@nationalgypsum.com](mailto:midwestareacsrs@nationalgypsum.com)

### Northeast Area

(800) 253-3161

[northeastareacsrs@nationalgypsum.com](mailto:northeastareacsrs@nationalgypsum.com)

### Southeast Area

(800) 548-9394

[southeastareacsrs@nationalgypsum.com](mailto:southeastareacsrs@nationalgypsum.com)

### Southwest Area


(800) 548-9396

[southwestareacsrs@nationalgypsum.com](mailto:southwestareacsrs@nationalgypsum.com)

### Western Area

(800) 824-4227

[westernareacsrs@nationalgypsum.com](mailto:westernareacsrs@nationalgypsum.com)



## UL GREENGUARD Gold Certified

XP products and eXP Interior Extreme, eXP Interior Extreme AR/IR and eXP Tile Backer have achieved UL GREENGUARD Gold Certification. UL GREENGUARD certified products are certified to UL GREENGUARD standards for low chemical emissions into indoor air during product usage. For more information, visit: [ul.com/gg](http://ul.com/gg).

Qualifies as a low-emitting material per California Specification Section 01350 in accordance with CDPH Standard Method, v1.2. For more information, visit: [calrecycle.ca.gov](http://calrecycle.ca.gov)



### LIMITED WARRANTY AND REMEDIES

Products manufactured by Gold Bond Building Products, LLC ("Seller") are warranted by Seller to its customers to be free from defects in materials and workmanship at the time of shipment. Additional or different express limited warranties, limitations and exclusions may apply to specific Seller products. **Current warranty information on such products for both commercial and residential applications is available at [goldbondbuilding.com](http://goldbondbuilding.com).** THIS EXPRESS WARRANTY IS THE ONLY WARRANTY APPLICABLE TO SUCH PRODUCTS, AND IS IN LIEU OF AND EXCLUDES ALL OTHER EXPRESS ORAL OR WRITTEN WARRANTIES AND ALL IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

Seller will not be liable for any incidental, indirect or consequential losses, damages or expenses. The customer's exclusive remedy for any type of claim or action for defective products will be limited to the replacement of the products (in the form originally shipped) or, at Seller's option, to a payment or credit not greater than the original purchase price of the products.

Seller will not be liable for products claimed to be defective where the defect resulted from causes not within Seller's control, or which arose or occurred after shipment, including but not limited to accidents, misuse, mishandling, improper installation, contamination or adulteration by other materials or goods, or abnormal conditions of temperature, moisture, dirt or corrosive matter.

Any claim that products sold by Seller were defective or otherwise did not conform to the contract of sale is waived unless the customer submits it in writing to National Gypsum Services Company d/b/a National Gypsum Company, authorized sales agent and service provider to Seller, within thirty (30) days from the date the customer discovered or should have discovered the defect or non-conformance. No legal action or proceeding complaining of goods sold by Seller may be brought by the customer more than one year after the date the customer discovered or should have discovered the defect or problem of which it complains.

### MOLD AND MILDEW RESISTANCE

XP and eXP products were designed to provide extra protection against mold and mildew. When tested by an independent laboratory, XP and eXP products received the highest possible ratings on ASTM G 21 and D 3273. The use of XP and eXP products in actual installations may not produce the same results as were achieved in controlled laboratory conditions.

No material can be considered "mold-proof," nor is it certain that any material will resist mold or mildew indefinitely. When used in conjunction with good design, handling and construction practices, XP and eXP products can provide increased mold resistance. As with any building material, avoiding water exposure during handling, storage and installation, and after installation is complete, is the best way to avoid the formation of mold or mildew.

The color Purple is a registered trademark of Gold Bond Building Products, LLC

**Gold Bond®**  
Building Products

Gold Bond Building Products, LLC  
2001 Rexford Road  
Charlotte, NC 28211

704.365.7300  
[goldbondbuilding.com](http://goldbondbuilding.com)

**National Gypsum®**

Exclusive service provider of products manufactured by Gold Bond Building Products, LLC.

