Gold Bond® XP® Fire-Shield® Gypsum Board by Gold Bond Building Products, LLC provided by National Gypsum Company

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 24607

CLASSIFICATION: 09 20 00 Plaster and Gypsum Board

PRODUCT DESCRIPTION: Gold Bond® XP® Fire-Shield® Gypsum Board consists of a mold-, mildew-, moisture- and fire-resistant gypsum core with a specially designed PURPLE® paper. The heavy PURPLE face paper and the gray back paper are 100-percent recycled and are resistant to mold, mildew and moisture. For speed of installation, GridMarX® guide marks are printed on the paper surface. This HPD covers Gold Bond® XP® Fire-Shield® Gypsum Board (5/8"). National Gypsum Company is the exclusive service provider for products manufactured by Gold Bond Building Products, LLC; PermaBASE Building Products, LLC; and ProForm Finishing Products, LLC.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

Nested Materials Method

C Basic Method

Threshold Disclosed Per

Material

Product

Threshold level

C 1,000 ppm C Per GHS SDS

Other

Considered in 2 of 2 Materials Explanation(s) provided

for Residuals/Impurities?

Yes ○ No

Residuals/Impurities

Residuals/Impurities

All Substances Above the Threshold Indicated Are:

Characterized

Yes Ex/SC ○ Yes ○ No

% weight and role provided for all substances except SC substances characterized according to SC guidance.

Screened

Yes Ex/SC ○ Yes ○ No

All substances screened using Priority Hazard Lists with results disclosed except SC substances screened

according to SC guidance.

Identified

○ Yes Ex/SC ○ Yes ⊙ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

GYPSUM CORE [GYPSUM LT-UNK GLASS / MINERAL FIBER LT-UNK STARCH LT-UNK GLUCOSE BM-3 POLYVINYL ALCOHOL LT-UNK MONTAN WAX LT-UNK PARAFFIN LT-UNK QUARTZ LT-1 | CAN BORIC ACID LT-1 | END | REP | DEV | MUL METAPHOSPHORIC ACID (H3P3O9), TRISODIUM SALT LT-UNK POTASSIUM SULFATE LT-UNK POLIGNATE SODIUM LT-UNK SODIUM SULFATE ANHYDROUS LT-UNK SODIUM POLYNAPHTHALENESULFONATE LT-P1 | PBT VERMICULITE NoGS SILOXANES AND SILICONES, DI-ME, POLYMERS WITH 3-MERCAPTOPROPYL SILSESQUIOXANES LT-UNK] PAPER FACING [SC:RECYCLED PAPER Not Screened UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special conditions applied: BiologicalMaterial

[LEED v4] "Yes ex/SC" result is due only to materials and substances for which Special Conditions were applied. Thus "Yes ex/SC" does not disqualify the product for the LEED v4 Materials and Resources Disclosure and Optimization credit, Option 1.

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.2, and discloses hazards associated with all substances present at or above 100 parts per million (ppm) in the finished product, along with the role and percent weight. Substances "Not Screened" are those with Special Conditions exceptions (Biological Materials).

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

VOC emissions: GREENGUARD Gold Certified VOC emissions: GREENGUARD Certified

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

C Yes No

PREPARER: Elixir Environmental

VFRIFIFR. **VERIFICATION #:** **SCREENING DATE: 2021-05-03 PUBLISHED DATE: 2021-05-03** EXPIRY DATE: 2024-05-03



This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

GYPSUM CORE %: 95.5000 - 96.0000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were "Considered", as outlined in Emerging Best Practices. No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on information provided in supplier disclosures and as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Percent by weight of Material and Substances reported as ranges to account for possible formulation variations between manufacturing facilities.

GYPSUM ID: 13397-24-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-05-03 20:38:25

%: 96.3000 - 99.4000 GS: LT-UNK RC: PreC NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This product is manufactured at Apollo Beach, FL; Baltimore, MD; Burlington, NJ; Fort Dodge, IA; Long Beach, CA; Medicine Lodge, KS; Mt. Holly, NC; National City, MI; Phoenix, AZ; Portsmouth, NH; Richmond, CA; Rotan, TX; Savannah, GA; Shippingport, PA; Shoals, IN; Waukegan, IL; Westwego, LA; Wilmington, NC. The use of pre-consumer recycled content gypsum, or FGD gypsum, in XP Fire-Shield varies by manufacturing location. Please contact manufacturer if more information is required.

GLASS / MINERAL FIBER ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-05-03 20:38:26

%: 0.2000 - 0.5000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

STARCH ID: 65996-63-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-05-03 20:38:27

%: 0.2000 - 0.6000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

GLUCOSE ID: 50-99-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-05-03 20:38:27

%: 0.0200 - 0.2000 GS: BM-3 RC: None NANO: No SUBSTANCE ROLE: Humectant

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern). GreenScreen Benchmark® assessment score of BM-3 was provided by the HPD Builder Tool.

POLYVINYL ALCOHOL ID: 9002-89-5

RC: None

NANO: No

SUBSTANCE ROLE: Stabilizer

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-05-03 20:38:28

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

GS: LT-UNK

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Substance not used in all manufacturing plants; please contact manufacturer if more information is required. Identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern).

MONTAN WAX ID: 8002-53-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-05-03 20:38:28

%: 0.0000 - 0.1000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Water resistance

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Substance not used in all manufacturing plants; please contact manufacturer if more information is required.

PARAFFIN ID: 8002-74-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-05-03 20:38:29

%: 0.0000 - 0.5000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Water resistance

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Substance not used in all manufacturing plants; please contact manufacturer if more information is required.

QUARTZ ID: 14808-60-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-05-03 20:38:29

%: Impurity/Residual GS: LT-1 RC: None NANO: No SUBSTANCE ROLE: Impurity/Residual

%: 0.0000 - 0.1000

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	GHS - Australia	H350i - May cause cancer by inhalation
CAN	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CAN	GHS - Japan	Carcinogenicity - Category 1A [H350]

SUBSTANCE NOTES: Potential impurity of raw materials (e.g. Limestone, Vermiculite). Quartz is one of several compounds with warnings restricted to respirable forms. Exposures to respirable crystalline silica are not expected during the recommended use of this product. Specific guidelines have been created to address known issues related to transparency and disclosure for several materials ("Special Conditions"), including those with Form-Specific Hazards such as Quartz/Silica; however, this function is not yet available in the HPD Builder.

BORIC ACID ID: 10043-35-3

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-05-03 20:38:30
%: 0.0000 - 0.0700	GS: LT-1	RC: None NANO: No SUBSTANCE ROLE: Buffer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
REP	EU - SVHC Authorisation List	Toxic to reproduction - Candidate list
REP	EU - GHS (H-Statements)	H360FD - May damage fertility. May damage the unborn child
DEV	MAK	Pregnancy Risk Group B
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 1B
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
REP	EU - SVHC Authorisation List	Toxic to reproduction - Prioritized for listing
END	EU - Priority Endocrine Disruptors	Category 1 - In vivo evidence of Endocrine Disruption Activity
REP	GHS - Japan	Toxic to reproduction - Category 1B [H360]
REP	GHS - Australia	H360FD - May damage fertility. May damage the unborn child

SUBSTANCE NOTES: Substance not used in all manufacturing plants; please contact manufacturer if more information is required.

METAPHOSPHORIC ACID (H3P3O9), TRISODIUM SALT

ID: 7785-84-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-05-03 20:38:30

RC: None NANO: No SUBSTANCE ROLE: Structure component %: 0.0000 - 0.0400 GS: LT-UNK

WARNINGS HAZARD TYPE AGENCY AND LIST TITLES

No warnings found on HPD Priority Hazard Lists None found

SUBSTANCE NOTES: Substance not used in all manufacturing plants; please contact manufacturer if more information is required.

POTASSIUM SULFATE ID: 7778-80-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-05-03 20:38:31

%: 0.0000 - 0.2000 GS: LT-UNK RC: None NANO: No SUBSTANCE BOLE: Water resistance

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

No warnings found on HPD Priority Hazard Lists None found

SUBSTANCE NOTES: Substance not used in all manufacturing plants; please contact manufacturer if more information is required. Identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern).

POLIGNATE SODIUM ID: 8061-51-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-05-03 20:38:31

%: 0.0000 - 0.3000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Dispersant

HAZARD TYPE AGENCY AND LIST TITLES **WARNINGS**

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Substance not used in all manufacturing plants; please contact manufacturer if more information is required. Identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern).

SODIUM SULFATE ANHYDROUS

ID: 7757-82-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-05-03 20:38:32

%: 0.0000 - 0.0200 RC: None GS: LT-UNK NANO: No SUBSTANCE ROLE: Accelerator

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Substance not used in all manufacturing plants; please contact manufacturer if more information is required. Identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern).

SODIUM POLYNAPHTHALENESULFONATE

ID: 9084-06-4

%: 0.0000 - 0.3000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Dispersant
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	RNINGS	

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-05-03 20:38:32

PBT EC - CEPA DSL Persistent, Bioaccumulative and inherently Toxic (PBiTH)

to humans

SUBSTANCE NOTES: Substance not used in all manufacturing plants; please contact manufacturer if more information is required.

VERMICULITE ID: 1318-00-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-05-03 20:38:33

%: 0.0000 - 1.4000 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Flame retardant

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Supplier confirms no asbestos detected (EPA method EPA/600/R-93/116). Substance not used in all manufacturing plants; please contact manufacturer if more information is required.

SILOXANES AND SILICONES, DI-ME, POLYMERS WITH 3-MERCAPTOPROPYL SILSESQUIOXANES

ID: 108775-26-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-05-03 20:38:33

%: 0.0000 - 0.4000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Water resistance

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Silicone. Substance not used in all manufacturing plants; please contact manufacturer if more information is required.

PAPER FACING %: 4.0000 - 4.5000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Paper or Cardboard

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on supplier disclosures and as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Percent by weight of Material and Substances reported as ranges to account for possible formulation variations between manufacturing facilities.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: Not Screened

Separation: Not Screened**: Not Screen

SUBSTANCE NOTES:

Version: SCBioMats/2018-02-23 Category: Tree-based materials

Identifier: 65996-61-4

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials. 100% of our gypsum board face and back paper is produced with post-consumer recycled content. The company's three paper mills produce paper from discarded cardboard and magazines.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-05-03 20:38:26
%: 0.3000 - 0.4000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern). Substance to remain proprietary to manufacturer. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed. Substance is not included on the Living Building Challenge (LBC) Red List Chemical Guide Version 4.0.

 UNDISCLOSED

 HAZARD SCREENING METHOD:
 Pharos Chemical and Materials Library
 HAZARD SCREENING DATE:
 2021-05-03 20:38:26

 %: 0.2000 - 0.3000
 GS: LT-UNK
 RC: None
 NANO: No
 SUBSTANCE ROLE: Sizing agent

 HAZARD TYPE
 AGENCY AND LIST TITLES
 WARNINGS

 None found
 No warmings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Substance to remain proprietary to manufacturer. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed. Substance is not included on the Living Building Challenge (LBC) Red List Chemical Guide Version 4.0.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

GREENGUARD Gold Certified

CERTIFYING PARTY: Third Party

ISSUE DATE: 2017-03- EXPIRY DATE: 2021-

CERTIFIER OR LAB: UL

APPLICABLE FACILITIES: All facilities that manufacture XP

12-28

Environment

Fire-Shield.

CERTIFICATE URL:

http://certificates.ulenvironment.com/default.aspx?

id=86378&t=cs

CERTIFICATION AND COMPLIANCE NOTES: Certificate Number 86378-420. UL 2818 - 2013 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings. Wall finishes are determined compliant in accordance with California Department of Public Health (CDPH) Standard Method V1.2-2017 using a Classroom Environment with an air change of 0.82 hr 1 and a loading of 94.60 m2; and Wall finishes are determined compliant in accordance with California Department of Public Health (CDPH) Standard Method V1.2-2017 using an Office Environment with an air change of 0.68 hr 1 and a loading of 33.40 m2. Product tested in accordance with UL 2821 test method to show compliance to emission limits on UL 2818. Section 7.1 and 7.2.

VOC EMISSIONS

GREENGUARD Certified

CERTIFYING PARTY: Third Party

ISSUE DATE: 2008-12-

CERTIFIER OR LAB: UL

APPLICABLE FACILITIES: All facilities that manufacture XP

12-28

EXPIRY DATE: 2021-

Environment

Fire-Shield.

CERTIFICATE URL:

http://certificates.ulenvironment.com/default.aspx?

id=86378&t=gg

CERTIFICATION AND COMPLIANCE NOTES: Certificate Number: 86378-410. UL 2818 - 2013 Standard for Chemical Emissions for Building Materials, Finishes and Furnishings. Wall finishes are determined compliant using an Office Environment with an air change of 0.68 hr -1 and a loading of 33.40 m2. Products tested in accordance with UL 2821 test method to show compliance to emission limits in UL 2818, Section 7.1.



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

PAPER JOINT TAPE PER ASTM C475

HPD URL: No HPD Available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Finish gypsum board with either paper tape and ready mix joint compound; or fiberglass mesh or paper tape and setting compound. Refer to paper joint tape manufacturer for HPD information.

READY MIX JOINT COMPOUNDS PER ASTM C475

HPD URL: No HPD Available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Finish gypsum board with either paper tape and ready mix joint compound, fiberglass mesh, or paper tape and setting compound. Refer to ready mix joint compound manufacturer for HPD information.

SETTING TYPE JOINT COMPOUNDS PER ASTM C475

HPD URL: No HPD Available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Finish gypsum board with either paper tape and ready mix joint compound, fiberglass mesh, or paper tape and setting compound. Refer to setting type compound manufacturer for HPD information.

Section 5: General Notes

nishing Products, LLC.	
ld Bond XP Fire-Shield Gypsum Board drepository.hpd-collaborative.org	

MANUFACTURER INFORMATION

MANUFACTURER: Gold Bond Building Products, LLC provided by

National Gypsum Company ADDRESS: 2001 Rexford Road Charlotte NC 28211, USA

WEBSITE: https://www.goldbondbuilding.com

CONTACT NAME: Amy Hockett

TITLE: Manager - Architectural Services & Sustainability

PHONE: 704-365-7931

EMAIL: AmyH@NationalGypsum.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity **GEN** Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the

information contained within the list did not result in a clear mapping

to a LT-1 or LTP1 score.) NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.